

Price List 2020

Version: 2020.01
Effective: February 1, 2020

Item #	Description	Price
FPTK750	Fire Pump Test Bundle, up to 750 GPM Fire Pump	\$3,773.00
	Qty	
HML	2 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	2 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	2 2 1/2" x 25' Hose	
GK60D4	2 Pressure Gauge , 0-60 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HMRR40	2 Remote Reader Assembly , 40' tube, 2-push to connect tube fittings	
STK	1 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	1 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FPTK1000	Fire Pump Test Bundle, up to 1000 GPM Fire Pump	\$5,833.00
	Qty	
HML	3 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	3 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	3 2 1/2" x 25' Hose	
HMMT	1 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	1 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	1 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FPTK1500	Fire Pump Test Bundle, up to 1500 GPM Fire Pump	\$7,298.00
	Qty	
HML	4 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	4 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	4 2 1/2" x 25' Hose	
HMMT	1 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	2 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	1 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FPTK2000	Fire Pump Test Bundle, up to 2000 GPM Fire Pump	\$10,516.00
	Qty	
HML	6 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	6 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	6 2 1/2" x 25' Hose	
HMMT	1 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	2 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	2 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FPTK3000	Fire Pump Test Bundle, up to 3000 GPM Fire Pump	\$14,481.00
	Qty	
HML	8 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	8 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	8 2 1/2" x 25' Hose	
HMMT	2 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	3 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	2 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	

Item #	Description	Price
FPTK4000	Fire Pump Test Bundle, up to 4000 GPM Fire Pump	\$20,539.00
	Qty	
HML	12 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	12 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	12 2 1/2" x 25' Hose	
HMMT	2 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	4 Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFT	3 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FFTK	Hydrant Flow Test Bundle, for flowing from a 2 1/2" port	\$2,554.00
HML	The Little Hose Monster™ , 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	
PN2GRV	2" Pitotless Nozzle Grooved. (493 to 1,305 GPM)	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GK100D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	
HGV25	Gate Valve , Slow Close 2-1/2" F NH X 2-1/2" M NH	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE920	Gauge and Accessory Case , Seahorse, 24x16x10 w/ wheels and telescoping handle	
H2H.10YR	2 1/2" x 10' Hose , Synthetic Nitrile Rubber	
FFTK4	Hydrant Flow Test Bundle, for flowing from a 4" port	\$2,831.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (766 to 2,708 GPM)	
HGV4NST	Gate Valve , Slow Close 4" F NH X 4 1/2" M NH	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE720	Gauge and Accessory Case , Seahorse, 19.8 x 15.5 x 7.5	
H4.10.4	4" F NH X 10' X 4" M NH.	
FFTK45	Hydrant Flow Test Bundle, for flowing from a 4 1/2" port	\$2,831.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (766 to 2,708 GPM)	
HGV45NST	Gate Valve , Slow Close 4 1/2" F NH X 4 1/2" M NH	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE720	Gauge and Accessory Case , Seahorse, 19.8 x 15.5 x 7.5	
H45.10.4	4 1/2" F NH X 10' X 4" M NH. Connects to a 4 1/2" outlet and reduces to 4"	
FFTK5S	Hydrant Flow Test Bundle, for flowing from a 5" STORZ port	\$2,906.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (766 to 2,708 GPM)	
HGV5S	Gate Valve , 5" STORZ aluminum slow close	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE720	Gauge and Accessory Case , Seahorse, 19.8 x 15.5 x 7.5	
HS5.10.4	5" STORZ X 10' X 4" M NH.	

Item #	Description	Price
FPTGK	Fire Pump Test Gauge Kit - Gauges commonly used in Fire Pump Testing.	\$752.00
GK300D4	Pump Discharge Gauge, 4" dial, 1/2% accuracy rated, 0 to 300 PSI	
GK30-200	Pump Suction Gauge, 4" dial, 1/2% accuracy rated, 30 HG to 200 PSI	
GK60D4	Discharge Flow-Rate Gauge 4" dial, 1/2% accuracy rated, 0 to 60 PSI (for Nozzle Pressure)	
CASE520G	Gauge and Accessory Case, Seahorse, 15.1 x 12.4 x 6.9	
GKGLY4	Glycerin Refill for 4" Gauges. 8 Oz.	
GCCN	Qty. 3 Gauge Certify and Calibrate to NIST.	
HMLK2	Little Hose Monster Kit	\$1,602.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN2GRV	2" Pitotless Nozzle FM Approved (493 to 1,305 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASE720	Gauge and Accessory Case, Seahorse, 19.8 x 15.5 x 7.5	
HMR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
HMLK1.75	Little Hose Monster Kit	\$1,602.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASE720	Gauge and Accessory Case, Seahorse, 19.8 x 15.5 x 7.5	
HMR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
HMLK1.125	Little Hose Monster Kit	\$1,602.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN1.125GRV	1 1/8" Pitotless Nozzle FM Approved (83 to 353 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASE720	Gauge and Accessory Case, Seahorse, 19.8 x 15.5 x 7.5	
HMR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
Hose Monsters®		
HML	The Little Hose Monster™. (Pitotless Nozzle and Gauge sold separate)	\$650.00
HMBB4	The Big Boy Hose Monster. Gauge included (856 to 2,759 GPM)	\$975.00
The Classic Steel Hose Monsters®		
HM2H	2 1/2" Hose Monster w/ built-in pitot (533 to 1460 GPM)	\$1,167.00
HM2HF	2 1/2" Hose Monster Flusher. (Does not include pitot)	\$1,055.00
HM4	4" Hose Monster (1074 to 2941 GPM)	\$1,232.00
HM4H	4 1/2" Hose Monster (1047 to 2867 GPM)	\$1,232.00
* NH Swivel Coupling is standard		
* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP		
* Gauge ordered separately.		
The Pitotless Nozzle™		
Grooved outlet for use with Little Hose Monster (HML)		
PN2GRV	2" Pitotless Nozzle Grooved. (493 to 1,305 GPM)	\$560.00
PN1.75GRV	1 3/4" Pitotless Nozzle Grooved. (331 to 1041 GPM)	\$560.00
PN1.125GRV	1 1/8" Pitotless Nozzle Grooved. (83 to 353 GPM)	\$560.00
PN1GRV	1" Pitotless Nozzle Grooved. (47 to 258 GPM)	\$560.00
*NH Swivel Coupling is standard		
* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP		
* Gauge ordered separately.		

Item #	Description	Price
The Pitotless Nozzle™		
Threaded outlet for use with Classic Steel Hose Monster (HM2H)		
PN2THD	2" Pitotless Nozzle Threaded. (521 to 1,379 GPM)	\$565.00
PN1.75THD	1 3/4" Pitotless Nozzle Threaded. (337 to 1,011 GPM)	\$565.00
PN1.125THD	1 1/8" Pitotless Nozzle Threaded. (84 to 355 GPM)	\$565.00
PN1THD	1" Pitotless Nozzle Threaded. (48 to 262 GPM)	\$565.00
	<i>*NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
	<i>* Gauge ordered separately.</i>	
The In-line Pitotless Nozzle™		
INPNK	In-line Pitotless Nozzle Kit, three sizes. 2", 1 3/4", and 1 1/8" (86 to 1432 GPM)	\$3,760.00
INPN2	2" In-line Pitotless Nozzle Kit. (523 to 1,432 GPM) (2 1/2" Female NH coupling)	\$2,616.00
INPN1.75	1 3/4" In-line Pitotless Nozzle Kit. (246 to 983 GPM) (2 1/2" Female NH coupling)	\$2,616.00
INPN1.125	1 1/8" In-line Pitotless Nozzle Kit. (86 to 321 GPM) (2 1/2" Female NH coupling)	\$2,616.00
	<i>* NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
INPN1.5	1 1/2" In-line Pitotless Nozzle Kit. (45 to 301 GPM) (1 1/2" Female NH Coupling)	\$2,300.00
	<i>*NST Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: NPSH</i>	
FM Nozzle Inserts™		
HMNI1.75	1 3/4" Nozzle Insert. For use with HM2H (282 to 771 GPM)	\$240.00
HMNI1.125	1 1/8" Nozzle Insert. For use with HM2H (118 to 324 GPM)	\$240.00
Little Hose Monster Accessories		
FN	Flushing Nozzle. 2 1/2" F NH.	\$77.00
	<i>*NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
STK	Little Hose Monster Stabilizer. For stacking HML, includes RTD	\$90.00
RTD	Ratcheting Tie Down for Little Hose Monster.	\$20.00
Hose Monster Accessories		
HMPR	Pitot Rebuild. Exchange a damaged pitot for a refurbished pitot.	\$100.00
HMP	Pitot Replacement Kit. For HM2H. Includes.: NEW pitot and pitot accessories	\$266.00
HMBSG	Pitot Accessory Kit. set screw, ball bearing, spring, ball stop	\$18.00
PCK	Pitot Change-out Kit. 1/8" x 6" hex wrench, block magnet	\$21.00
STA	Stackers. For stacking HM2H, Two required per three Hose Monsters	\$128.00
RTD	Ratcheting Tie Down. For stacked units. Use with HM2H AND HM2HF; not for HML	\$20.00
HM2HR	2 1/2" Refurbish your old Hose Monster.	\$400.00
HM4R	4" Refurbish your old Hose Monster.	\$400.00
HM4HR	4 1/2" Refurbish your old Hose Monster.	\$400.00
Remote Readers and Monster Tester™		
HMRR12	Remote Reader Assembly, 12' tube, 2-push to connect tube fittings	\$35.00
HMRR40	Remote Reader Assembly, 40' tube, 2-push to connect tube fittings	\$45.00
HMRR60	Remote Reader Assembly, 60' tube, 2-push to connect tube fittings	\$50.00
HMMT	Monster Tester (Gauge Included). Includes tube set and 0-60 PSI Gauge (GK60D4).	\$1,125.00
Wrenches		
HW107	Hydrant Wrench. adjustable, single spanner head	\$52.00
WSPA106	Spanner Wrench. light weight aluminum alloy	\$25.00
WSPA104	Wrench for Pitotless Nozzle THD. only needed if PN is used with HM2H or HM2HF	\$20.00

Item #	Description	Price
Hydrant Gate Valves		
HGV25	2 1/2" Gate Valve. Aluminum, Slow Close	\$462.00
HGV4NST	4" Gate Valve. Aluminum, Slow Close	\$850.00
HGV4.5NST	4 1/2" Gate Valve. Aluminum, Slow Close	\$850.00
	<i>NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request</i>	
Gauge Caps		
GCSW	Gauge Cap, without gauge, 2 1/2" NH	\$127.00
	<i>* Special threads available upon request.</i>	
Pressure Gauges		
Pump Room Gauges		
	Glycerin filled; Fittings not included	
	2 1/2" Dial	
GK200	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-200 psi operating range	\$73.00
	4" Dial	
GK200D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-200 psi operating range	\$143.00
GK300D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-300 psi operating range	\$143.00
GK400D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-400 psi operating range	\$143.00
GK600D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-600 psi operating range	\$223.00
	Compound Gauges	
GK30-100	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-100 psi operating range	\$215.00
GK30-160	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-160 psi operating range	\$215.00
GK30-200	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-200 psi operating range	\$215.00
GK30-300	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-300 psi operating range	\$215.00
Flow Rate Gauges		
	Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings	
	2 1/2" Dial	
GK30	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-30 psi operating range	\$105.00
GK60	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-60 psi operating range	\$105.00
GK100	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-100 psi operating range	\$105.00
GK160	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-160 psi operating range	\$105.00
	4" Dial	
GK30D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-30 psi operating range	\$175.00
GK60D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-60 psi operating range	\$175.00
GK100D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-100 psi operating range	\$175.00
GK160D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-160 psi operating range	\$175.00
Hydrant Gauges		
	Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings	
	Gauge Cap, with gauge, 2 1/2" NH	
GCSW160	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-160 PSI Pressure Gauge	\$237.00
GCSW200	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	\$237.00
GCSW300	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-300 PSI Pressure Gauge	\$237.00
	<i>* Special threads available upon request.</i>	
	<i>* Other psi ranges available upon request.</i>	

Item #	Description	Price
Specialty Gauges		
LG2.5	Line Gauge, 2 1/2" NH, 1% accuracy FS, 0 to 200 psi operating range	\$185.00
GK6.8BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-6.8 Bar, 0-100 psi	\$185.00
GK10.9BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-10.9 Bar, 0-160 psi	\$185.00
GKBBD4	BigBoy Hose Monster Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-2700 GPM, 0-60 PSI	\$185.00
GK MM250	Monster Meter™, Hand-held, 0.5% accuracy FS, 0-250 psi operating range	\$1,385.00
Gauge Services		
GCCN	Gauge Certify and Calibrate to NIST std. for NEW gauges only	\$30.00
GCCNDM	Gauge Certify and Calibrate to NIST std. NEW Monster Meter™	\$100.00
GCC2H	Gauge Certify and Calibrate to NIST std. 2 1/2" dial	\$55.00
GCC4	Gauge Certify and Calibrate to NIST std. 4" dial	\$80.00
GCCD	Gauge Certify and Calibrate to NIST std. Digital Gauge	\$105.00
GCCDG	Gauge Certify and Calibrate to NIST std. Manometer	\$150.00
GCCDM	Annual Gauge Calibration to NIST std. Monster Meter™ / Manometer	\$150.00
GCCDM-R	Annual Repair & Calibration to NIST std. Monster Meter™	\$250.00
Gauge Accessories		
QDCOUP	Quick Disconnect Coupling. male and female	\$18.00
GCF	Gauge fittings. brass tee, nipple, petcock, QDCOUP (included with gauges)	\$32.00
GB2H	Gauge boot for 2 1/2" gauges. durable black rubber protective boot for your gauge	\$16.00
GB4	Gauge boot for 4" gauges. durable black rubber protective boot for your gauge	\$21.00
GKGLY4	Glycerin Refill for 4" Gauges. 8 Oz.	\$15.00
Adapters and Reducers		
AD25#.25#	Adapter 2 1/2" F (specified thread) to 2 1/2" M (specified thread)	\$64.00
AD4.25NST	Reducer 4" F NH x 2 1/2" M NH	\$97.00
AD45.25NST	Reducer 4 1/2" F NH x 2 1/2" M NH	\$140.00
AD45.4NST	Reducer 4 1/2" F NH x 4" M NH	\$146.00
AS50M25N	Adapter, 5" Storz x 2 1/2 M NH (Connection between 5" STORZ and 2 1/2" NH)	\$177.00
AS50M40N	Adapter, 5" Storz x 4" M NH (Connection between 5" STORZ and 4"NH)	\$194.00
AS50M45N	Adapter, 5" Storz x 4 1/2" M NH (Connection between 5" STORZ and 4 1/2" NH)	\$196.00
AS5XS4	Adapter, 5" Storz x 4" Storz	\$332.00
<i>* Custom-made adapters for all threads and sizes are available upon request</i>		
Stream Shapers		
SS1	Stream Shaper, 2 1/2" , aluminum body with replaceable plastic fins	\$86.00
SS1RF	Replacement Stream Shaper Fins for SS1	\$47.00
Nozzle Extentions		
NE2HNNH11	Nozzle Extension. 2-1/2" NH X 11"	\$165.00
NE2HNNH11WF	Nozzle Extension. 2-1/2" NH X 11" WITH FINS	\$192.00
Elbow		
EL452HNNH	45° Elbow, 2 1/2" NH, 200 PSI rated	\$103.00
EL302HNNH	30° Elbow, 2 1/2" NH, 200 PSI rated	\$103.00

Item #	Description	Price
Hose		
Polyester Jacket, polyurethane-lined, (SJU)		
H2H.25	2 1/2" x 25', 500 psi test, MxF NST Rocker Lug AL Coup.	\$165.00
H2H.50	2 1/2" x 50', 500 psi test, MxF NST Rocker Lug AL Coup.	\$255.00
Rubber Extruded, thru-the-weave construction		
H2H.5YR	2 1/2" x 5', 500 psi test, MxF NST Rocker Lug AL Coup.	\$105.00
H2H.10YR	2 1/2" x 10', 500 psi test, MxF NST Rocker Lug AL Coup.	\$140.00
H2H.25YR	2 1/2" x 25', 500 psi test, MxF NST Rocker Lug AL Coup.	\$205.00
H2H.50YR	2 1/2" x 50', 500 psi test, MxF NST Rocker Lug AL Coup.	\$310.00
H4.10.4	4" F NH x 10' L x 4" M NH, 600 psi test, MxF NST Rocker Lug AL Coup., 5" dia.	\$475.00
H45.10.4	4 1/2" F NH X 10' L X 4" M NH. 600 psi test, MxF NST Rocker Lug AL Coup., 5" dia.	\$475.00
HS5.10.4	5" STORZ X 10' L X 4" M NH. 600 psi test, AL Coup., 5" dia.	\$500.00
<i>* Hose of various diameter, lengths, and materials is available upon request</i>		
<i>* National Hose Thread (NH/NST) couplings are standard. Other thread types available by request.</i>		
Cases		
CASE520	Equipment Case, Seahorse , 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$103.00
CASE520G	Gauge Case, Seahorse , 15.1 x 12.4 x 6.9 w/ custom foam insert for up to six gauges	\$114.00
CASE720	Equipment Case, Seahorse, 19.8 x 15.5 x 7.5	\$182.00
CASE720G	Gauge Case, Seahorse , 19.8 x 15.5 x 7.5 w/ custom foam insert for up to twelve gauges	\$205.00
CASE920	Equipment Case, Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$218.00
CASERCFT	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	\$468.00
<i>* Dimensions of outer case in inches.</i>		
Dechlor Demon and Accessories		
DD2H	Dechlor Demon 2 1/2" Assembly. Includes 1 gal. 6" x 13" tank, manifold and bypass tubes	\$1,752.00
DD4	Dechlor Demon 4" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$2,632.00
DD4H	Dechlor Demon 4 1/2" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$2,632.00
Replacement Parts for Dechlor Demon		
DDTANK1	Mixing Tank Assembly, 1 Gallon, 6" x 13", with manifold and QD couplings	\$290.00
DDTANK10	Mixing Tank Assembly, 10 Gallon, 10" x 35", with manifold and QD couplings	\$360.00
DDVAIND.5	Indicating Bypass Valve - for precise flow control of dechlorinating agent	\$120.00
DDHOSE	Hose, 3/4" x 6' for all sizes DD bypass	\$90.00
DDHOSE20	Extension Hose, 3/4" x 20' for all sizes DD bypass	\$99.00
Dechlorinating Agent		
VDC40	Vita-D-Chlor tablets, 40 - 2 1/2" ascorbic acid tablets, 10.1 lbs.	\$270.00
VDC140	Vita-D-Chlor tablets, 140 - 2 1/2" ascorbic acid tablets in 5 gallon pail, 35.5 lbs.	\$625.00
BN140	Bio-neutralizer, 144 sodium sulfite tablets, 45 lbs.	\$135.00
BM154	Bio-max Dechlorinating Tablets, 154 (approx.) sodium sulfite tablets, 48 lbs.	\$150.00
NEC20	Enviro-C Tablets, 20 - 2 1/2" ascorbic acid tablets, 5 lbs.	\$160.00
NEC40	Enviro-C Tablets, 40 - 2 1/2" ascorbic acid tablets, 10 lbs.	\$250.00
NEC140	Enviro-C Tablets, 140 - 2 1/2" ascorbic acid tablets, 35 lbs.	\$620.00
<i>*Pricing for these products fluctuates frequently, please contact us to verify current price.</i>		
Miscellaneous		
TCHD	Tachometer. Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$285.00
TCHD-CAL	Tachometer. Calibrated Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$535.00
Software		
FPTSR	Fire Pump Tester Software, Pay-per-report	\$35.00
FPTSU	Fire Pump Tester Software, 1 Year Unlimited Plan	\$595.00

* Prices subject to change. For more information and the most up-to-date pricing visit www.hosemonster.com or call 1-888-202-9987.