

# Price List 2021

Version: 3.5  
Effective: August 1, 2021

Item #	Description	Price
<b>FPTK750</b>	<b>Fire Pump Test Bundle, up to 750 GPM Fire Pump</b>	<b>\$4,039.00</b>
	Qty	
HML	2 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	2 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	2 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
GK60D4	2 <b>Pressure Gauge</b> , 0-60 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HMRR40	2 <b>Remote Reader Assembly</b> , 40' tube, 2-push to connect tube fittings	
STK	1 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	1 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	
<b>FPTK1000</b>	<b>Fire Pump Test Bundle, up to 1000 GPM Fire Pump</b>	<b>\$6,245.00</b>
	Qty	
HML	3 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	3 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	3 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1 <b>Monster Tester</b> , Includes tube set and 0-60 PSI Gauge	
STK	1 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	1 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	
<b>FPTK1500</b>	<b>Fire Pump Test Bundle, up to 1500 GPM Fire Pump</b>	<b>\$7,813.00</b>
	Qty	
HML	4 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	4 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	4 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1 <b>Monster Tester</b> , Includes tube set and 0-60 PSI Gauge	
STK	2 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	1 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	
<b>FPTK2000</b>	<b>Fire Pump Test Bundle, up to 2000 GPM Fire Pump</b>	<b>\$11,258.00</b>
	Qty	
HML	6 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	6 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	6 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1 <b>Monster Tester</b> , Includes tube set and 0-60 PSI Gauge	
STK	2 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	2 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	
<b>FPTK3000</b>	<b>Fire Pump Test Bundle, up to 3000 GPM Fire Pump</b>	<b>\$15,502.00</b>
	Qty	
HML	8 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	8 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	8 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	2 <b>Monster Tester</b> , Includes tube set and 0-60 PSI Gauge	
STK	3 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	2 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	

Item #	Description	Price
<b>FPTK4000</b>	<b>Fire Pump Test Bundle, up to 4000 GPM Fire Pump</b>	<b>\$21,987.00</b>
	<b>Qty</b>	
HML	12 <b>The Little Hose Monster™</b> , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	12 <b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	12 <b>Discharge Hose</b> , 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	2 <b>Monster Tester</b> , Includes tube set and 0-60 PSI Gauge	
STK	4 <b>Little Hose Monster Stabilizer</b> , For stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> , Light weight aluminum alloy	
CASERCFT	3 <b>Pump Test Equipment Case</b> , 27 x 19 x 10, formatted for HML and PN	
<b>FFTK</b>	<b>Hydrant Flow Test Bundle, for flowing from a 2 1/2" port</b>	<b>\$2,732.00</b>
HML	<b>The Little Hose Monster™</b> , 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	
PN2GRV	<b>2" Pitotless Nozzle Grooved</b> . (493 to 1,305 GPM)	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
GK100D4	<b>Pressure Gauge 4" dial</b> , 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	
HGV25	<b>Gate Valve</b> , Slow Close 2-1/2" F NH X 2-1/2" M NH	
GCSW200	<b>Gauge Cap</b> , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	<b>Hydrant Wrench</b> , adjustable, single spanner	
WSPA106	<b>Spanner Wrench</b> , light weight aluminum alloy	
CASEFFTK	<b>Carrying Case</b> , 24 x 16 x 10 w/ wheels and telescoping handle	
H2H.10YR	<b>Discharge Hose</b> , 2 1/2" x 10', Thru-the-weave, extruded rubber	
<b>FFTK4</b>	<b>Hydrant Flow Test Bundle, for flowing from a 4" port</b>	<b>\$3,223.00</b>
HMBB4	<b>The Big Boy Hose Monster</b> , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV4NST	<b>Gate Valve</b> , Slow Close 4" F NH X 4 1/2" M NH	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	<b>Gauge Cap</b> , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	<b>Hydrant Wrench</b> , adjustable, single spanner	
WSPA106	<b>Spanner Wrench</b> , light weight aluminum alloy	
CASE101227YL	<b>Gauge and Accessory Case</b> , 19.75 x 15.75 x 7.47	
H4.10.4	<b>Discharge Hose</b> , 5" Dia., Rubber extruded, 4 " F NH X 10' X 4" M NH.	
<b>FFTK45</b>	<b>Hydrant Flow Test Bundle, for flowing from a 4 1/2" port</b>	<b>\$3,223.00</b>
HMBB4	<b>The Big Boy Hose Monster</b> , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV45NST	<b>Gate Valve</b> , Slow Close 4 1/2" F NH X 4 1/2" M NH	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	<b>Gauge Cap</b> , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	<b>Hydrant Wrench</b> , adjustable, single spanner	
WSPA106	<b>Spanner Wrench</b> , light weight aluminum alloy	
CASE101227YL	<b>Gauge and Accessory Case</b> , 19.75 x 15.75 x 7.47	
H45.10.4	<b>Discharge Hose</b> , 5" Dia., Rubber extruded, 4 1/2" F NH X 10' X 4" M NH.	
<b>FFTK5S</b>	<b>Hydrant Flow Test Bundle, for flowing from a 5" STORZ port</b>	<b>\$3,450.00</b>
HMBB4	<b>The Big Boy Hose Monster</b> , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV5S	<b>Gate Valve</b> , 5" STORZ aluminum slow close	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	<b>Gauge Cap</b> , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	<b>Hydrant Wrench</b> , adjustable, single spanner	
WSPA106	<b>Spanner Wrench</b> , light weight aluminum alloy	
CASE101227YL	<b>Gauge and Accessory Case</b> , 19.75 x 15.75 x 7.47	
HS5.10.4	<b>Discharge Hose</b> , 5" Dia., Rubber extruded, 5" STORZ X 10' X 4" M NH.	

Item #	Description	Price
<b>FPTGK</b>	<b>Fire Pump Test Gauge Kit</b> - Gauges commonly used in Fire Pump Testing.	\$846.00
GK300D4	<b>Pump Discharge Gauge, 4" dial</b> , 1/2% accuracy rated, 0 to 300 PSI	
GK30-200	<b>Pump Suction Gauge, 4" dial</b> , 1/2% accuracy rated, 30 HG to 200 PSI	
GK60D4	<b>Discharge Flow-Rate Gauge 4" dial</b> , 1/2% accuracy rated, 0 to 60 PSI (for Nozzle Pressure)	
CASE6G	<b>Carrying Case</b> , closed-cell foam insert, 6 gauge cutouts	
GKGLY4	<b>Glycerin Refill for 4" Gauges. 8 Oz.</b>	
GCCN	Qty. 3 <b>Gauge Certify and Calibrate</b> to NIST.	
<b>HMLK2</b>	<b>Little Hose Monster Kit</b>	\$1,696.00
HML	<b>The Little Hose Monster™</b> - 10" x 12", for use with Pitotless Nozzle™	
PN2GRV	<b>2" Pitotless Nozzle</b> FM Approved (493 to 1,305 GPM - per nozzle)	
GK100D4	<b>Pressure Gauge 4" dial</b> , 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	<b>Gauge and Accessory Case</b> , 19.8 x 15.5 x 7.5	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
<b>HMLK1.75</b>	<b>Little Hose Monster Kit</b>	\$1,696.00
HML	<b>The Little Hose Monster™</b> - 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	<b>1 3/4" Pitotless Nozzle</b> FM Approved (331 to 993 GPM - per nozzle)	
GK100D4	<b>Pressure Gauge 4" dial</b> , 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	<b>Gauge and Accessory Case</b> , 19.8 x 15.5 x 7.5	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
<b>HMLK1.125</b>	<b>Little Hose Monster Kit</b>	\$1,696.00
HML	<b>The Little Hose Monster™</b> - 10" x 12", for use with Pitotless Nozzle™	
PN1.125GRV	<b>1 1/8" Pitotless Nozzle</b> FM Approved (83 to 353 GPM - per nozzle)	
GK100D4	<b>Pressure Gauge 4" dial</b> , 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	<b>Gauge and Accessory Case</b> , 19.8 x 15.5 x 7.5	
HMRR12	<b>Remote Reader Assembly</b> , 1/4" x 12' tube, 2-quick connect adapters	
<b>Hose Monsters®</b>		
HML	<b>The Little Hose Monster™</b> . (Pitotless Nozzle and Gauge sold separate)	\$696.00
HMBB4	<b>The Big Boy Hose Monster</b> . Gauge included (856 to 2,759 GPM)	\$1,043.00
<b>The Classic Steel Hose Monsters®</b>		
HM2H	<b>2 1/2" Hose Monster w/ built-in pitot</b> (533 to 1460 GPM)	\$1,311.00
HM2HF	<b>2 1/2" Hose Monster Flusher</b> . (Does not include pitot)	\$1,186.00
HM4	<b>4" Hose Monster</b> (1074 to 2941 GPM)	\$1,385.00
HM4H	<b>4 1/2" Hose Monster</b> (1047 to 2867 GPM)	\$1,385.00
	* NH Swivel Coupling is standard	
	* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP	
	* Gauge ordered separately.	
<b>The Pitotless Nozzle™</b>		
<b>Grooved outlet for use with Little Hose Monster (HML)</b>		
PN2GRV	<b>2" Pitotless Nozzle Grooved</b> . (493 to 1,305 GPM)	\$599.00
PN1.75GRV	<b>1 3/4" Pitotless Nozzle Grooved</b> . (331 to 1041 GPM)	\$599.00
PN1.125GRV	<b>1 1/8" Pitotless Nozzle Grooved</b> . (83 to 353 GPM)	\$599.00
PN1GRV	<b>1" Pitotless Nozzle Grooved</b> . (47 to 258 GPM)	\$599.00
	*NH Swivel Coupling is standard	
	* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP	
	* Gauge ordered separately.	

Item #	Description	Price
<b>The Pitotless Nozzle™</b>		
<b>Threaded outlet for use with Classic Steel Hose Monster (HM2H)</b>		
PN2THD	<b>2" Pitotless Nozzle Threaded.</b> (521 to 1,379 GPM)	\$605.00
PN1.75THD	<b>1 3/4" Pitotless Nozzle Threaded.</b> (337 to 1,011 GPM)	\$605.00
PN1.125THD	<b>1 1/8" Pitotless Nozzle Threaded.</b> (84 to 355 GPM)	\$605.00
PN1THD	<b>1" Pitotless Nozzle Threaded.</b> (48 to 262 GPM)	\$605.00
	<i>*NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
	<i>* Gauge ordered separately.</i>	
<b>The In-line Pitotless Nozzle™</b>		
INPNK	<b>In-line Pitotless Nozzle Kit, three sizes.</b> 2", 1 3/4", and 1 1/8" (86 to 1432 GPM)	\$4,023.00
INPN2	<b>2" In-line Pitotless Nozzle Kit.</b> (523 to 1,432 GPM) (2 1/2" Female NH coupling)	\$2,799.00
INPN1.75	<b>1 3/4" In-line Pitotless Nozzle Kit.</b> (246 to 983 GPM) (2 1/2" Female NH coupling)	\$2,799.00
INPN1.125	<b>1 1/8" In-line Pitotless Nozzle Kit.</b> (86 to 321 GPM) (2 1/2" Female NH coupling)	\$2,799.00
	<i>* NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
INPN1.5	<b>1 1/2" In-line Pitotless Nozzle Kit.</b> (45 to 301 GPM) (1 1/2" Female NH Coupling)	\$2,461.00
	<i>*NH or NPSH swivel Coupling is standard</i>	
<b>FM Nozzle Inserts™</b>		
HMNI1.75	<b>1 3/4" Nozzle Insert.</b> For use with HM2H (282 to 771 GPM)	\$270.00
HMNI1.125	<b>1 1/8" Nozzle Insert.</b> For use with HM2H (118 to 324 GPM)	\$270.00
<b>Little Hose Monster Accessories</b>		
FN	<b>Flushing Nozzle.</b> 2 1/2" F NH.	\$82.00
	<i>*NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
STK	<b>Little Hose Monster Stabilizer.</b> For stacking HML, includes RTD	\$96.00
RTD	<b>Ratcheting Strap</b>	\$21.00
<b>Hose Monster Accessories</b>		
HMPR	<b>Pitot Rebuild.</b> Exchange a damaged pitot for a refurbished pitot.	\$112.00
HMP	<b>Pitot Replacement Kit.</b> For HM2H. Includes.: NEW pitot and pitot accessories	\$299.00
HMBSG	<b>Pitot Accessory Kit.</b> set screw, ball bearing, spring, ball stop	\$20.00
PCK	<b>Pitot Change-out Kit.</b> 1/8" x 6" hex wrench, block magnet	\$24.00
STA	<b>Stackers.</b> For stacking HM2H, Two required per three Hose Monsters	\$143.00
RTD	<b>Ratcheting Tie Down.</b> For stacked units. Use with HM2H AND HM2HF; not for HML	\$21.00
HM2HR	<b>2 1/2" Refurbish your old Hose Monster.</b>	\$428.00
HM4R	<b>4" Refurbish your old Hose Monster.</b>	\$428.00
HM4HR	<b>4 1/2" Refurbish your old Hose Monster.</b>	\$428.00
<b>Remote Readers and Monster Tester™</b>		
HMRR12	<b>Remote Reader Assembly,</b> 12' tube, 2-push to connect tube fittings	\$37.00
HMRR40	<b>Remote Reader Assembly,</b> 40' tube, 2-push to connect tube fittings	\$48.00
HMRR60	<b>Remote Reader Assembly,</b> 60' tube, 2-push to connect tube fittings	\$54.00
HMMT	<b>Monster Tester (Gauge Included).</b> Includes tube set and 0-60 PSI Gauge (GK60D4).	\$1,204.00
<b>Wrenches</b>		
HW107	<b>Hydrant Wrench.</b> adjustable, single spanner head	\$58.00
WSPA106	<b>Spanner Wrench.</b> light weight aluminum alloy	\$28.00
WSPA104	<b>Wrench for Pitotless Nozzle THD.</b> only needed if PN is used with HM2H or HM2HF	\$23.00

Item #	Description	Price
--------	-------------	-------

<b>Hydrant Gate Valves</b>		
HGVHD25	<b>2 1/2" Gate Valve, Heavy-Duty.</b> Aluminum, Slow Close	\$585.00
HGV4NST	<b>4" Gate Valve.</b> Aluminum, Slow Close	\$1,100.00
HGV4.5NST	<b>4 1/2" Gate Valve.</b> Aluminum, Slow Close	\$1,100.00
<i>NH Swivel Coupling is standard</i>		
<i>* Special threads available upon request</i>		

<b>Gauge Caps</b>		
GCSW	<b>Gauge Cap, without gauge,</b> 2 1/2" NH	\$136.00
<i>* Special threads available upon request.</i>		

### **Pressure Gauges**

#### **Pump Room Gauges**

Glycerin filled; Fittings not included

<b>2 1/2" Dial</b>		
GK160	2 1/2" dial, 1/4" NPT, 1% accuracy FS, <b>0-160 psi operating range</b>	\$112.00
GK200	2 1/2" dial, 1/4" NPT, 1% accuracy FS, <b>0-200 psi operating range</b>	\$78.00
<b>4" Dial</b>		
GK160D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-160 psi operating range</b>	\$153.00
GK200D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-200 psi operating range</b>	\$153.00
GK300D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-300 psi operating range</b>	\$153.00
GK600D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-600 psi operating range</b>	\$239.00

#### **Compound Gauges**

GK30-100	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>30 Hg-100 psi operating range</b>	\$230.00
GK30-160	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>30 Hg-160 psi operating range</b>	\$230.00
GK30-200	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>30 Hg-200 psi operating range</b>	\$230.00
GK30-300	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>30 Hg-300 psi operating range</b>	\$230.00

#### **Flow Rate Gauges**

Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings

<b>2 1/2" Dial</b>		
GK30	2 1/2" dial, 1/4" NPT, 1% accuracy FS, <b>0-30 psi operating range</b>	\$112.00
GK60	2 1/2" dial, 1/4" NPT, 1% accuracy FS, <b>0-60 psi operating range</b>	\$112.00
GK100	2 1/2" dial, 1/4" NPT, 1% accuracy FS, <b>0-100 psi operating range</b>	\$112.00
<b>4" Dial</b>		
GK30D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-30 psi operating range</b>	\$187.00
GK60D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-60 psi operating range</b>	\$187.00
GK100D4	4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-100 psi operating range</b>	\$187.00

#### **Hydrant Gauges**

Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings

<b>Gauge Cap, with gauge,</b> 2 1/2" NH		
GCSW160	<b>Gauge Cap with Gauge,</b> 2 1/2" NH, Includes 0-160 PSI Pressure Gauge	\$254.00
GCSW200	<b>Gauge Cap with Gauge,</b> 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	\$254.00
GCSW300	<b>Gauge Cap with Gauge,</b> 2 1/2" NH, Includes 0-300 PSI Pressure Gauge	\$254.00
<i>* Special threads available upon request.</i>		
<i>* Other psi ranges available upon request.</i>		

Item #	Description	Price
--------	-------------	-------

<b>Specialty Gauges</b>		
LG2.5	Line Gauge, 2 1/2" NH, 1% accuracy FS, <b>0 to 200 psi operating range</b>	\$198.00
GK6.8BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-6.8 Bar, 0-100 psi</b>	\$198.00
GK10.9BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-10.9 Bar, 0-160 psi</b>	\$198.00
GKBBD4	BigBoy Hose Monster Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, <b>0-2700 GPM, 0-60 PSI</b>	\$198.00
GK MM250	Monster Meter™, Hand-held, 0.5% accuracy FS, <b>0-250 psi operating range</b>	\$1,482.00

<b>Gauge Services</b>		
GCCN	<b>Gauge Certify and Calibrate</b> to NIST std. for <b>NEW gauges only</b>	\$32.00
GCCNDM	<b>Gauge Certify and Calibrate</b> to NIST std. <b>NEW Monster Meter™</b>	\$107.00
GCC2H	<b>Gauge Certify and Calibrate</b> to NIST std. <b>2 1/2" dial</b>	\$59.00
GCC4	<b>Gauge Certify and Calibrate</b> to NIST std. <b>4" dial</b>	\$86.00
GCCD	<b>Gauge Certify and Calibrate</b> to NIST std. <b>Digital Gauge</b>	\$112.00
GCCDG	<b>Gauge Certify and Calibrate</b> to NIST std. <b>Manometer</b>	\$161.00
GCCDM	<b>Annual Gauge Calibration</b> to NIST std. <b>Monster Meter™</b>	\$161.00
GCCDM-R	<b>Annual Repair &amp; Calibration</b> to NIST std. <b>Monster Meter™</b>	\$268.00

<b>Gauge Accessories</b>		
QDCOUP	<b>Quick Disconnect Coupling.</b> male and female	\$19.00
GCF	<b>Gauge fittings.</b> brass tee, nipple, petcock, QDCOUP (included with gauges)	\$34.00
GB2H	<b>Gauge boot for 2 1/2" gauges.</b> durable black rubber protective boot for your gauge	\$17.00
GB4	<b>Gauge boot for 4" gauges.</b> durable black rubber protective boot for your gauge	\$22.00
GKGLY4	<b>Glycerin Refill for 4" Gauges.</b> 8 Oz.	\$16.00

<b>Adapters and Reducers</b>		
AD25#.25#	<b>Adapter</b> 2 1/2" F ( <i>specified thread</i> ) to 2 1/2" M ( <i>specified thread</i> )	\$70.00
AD4.25NST	<b>Reducer</b> 4" F NH x 2 1/2" M NH	\$107.00
AD45.25NST	<b>Reducer</b> 4 1/2" F NH x 2 1/2" M NH	\$153.00
AD45.4NST	<b>Reducer</b> 4 1/2" F NH x 4" M NH	\$160.00
AS50M25N	<b>Adapter</b> , 5" Storz x 2 1/2" M NH (Connection between 5" STORZ and 2 1/2" NH)	\$197.00
AS50M40N	<b>Adapter</b> , 5" Storz x 4" M NH (Connection between 5" STORZ and 4"NH)	\$216.00
AS50M45N	<b>Adapter</b> , 5" Storz x 4 1/2" M NH (Connection between 5" STORZ and 4 1/2" NH)	\$218.00
AS5XS4	<b>Adapter</b> , 5" Storz x 4" Storz	\$369.00
<i>* Custom-made adapters for all threads and sizes are available upon request</i>		

<b>Stream Shapers</b>		
SS1	<b>Stream Shaper, 2 1/2"</b> , aluminum body with replaceable plastic fins	\$94.00
SS1RF	<b>Replacement Stream Shaper Fins for SS1</b>	\$55.00

<b>Nozzle Extentions</b>		
NE2HNNH11	<b>Nozzle Extension. 2-1/2" NH X 11"</b>	\$175.00
NE2HNNH11WF	<b>Nozzle Extension. 2-1/2" NH X 11" WITH FINS</b>	\$211.00

<b>Elbow</b>		
EL452HNNH	<b>45° Elbow, 2 1/2" NH, 200 PSI rated</b>	\$113.00
EL302HNNH	<b>30° Elbow, 2 1/2" NH, 200 PSI rated</b>	\$113.00

Item #	Description	Price
--------	-------------	-------

## Hose

### Polyester Jacket, polyurethane-lined, (SJU)

H2H.25	2 1/2" x 25', 500 psi test, MxF NST Rocker Lug AL Coup.	\$177.00
H2H.50	2 1/2" x 50', 500 psi test, MxF NST Rocker Lug AL Coup.	\$273.00
<b>Rubber Extruded, thru-the-weave construction</b>		
H2H.5YR	2 1/2" x 5', 500 psi test, MxF NST Rocker Lug AL Coup.	\$112.00
H2H.10YR	2 1/2" x 10', 500 psi test, MxF NST Rocker Lug AL Coup.	\$150.00
H2H.25YR	2 1/2" x 25', 500 psi test, MxF NST Rocker Lug AL Coup.	\$219.00
H2H.50YR	2 1/2" x 50', 500 psi test, MxF NST Rocker Lug AL Coup.	\$332.00
H4.10.4	4" F NH x 10' L x 4" M NH, 600 psi test, MxF NST Rocker Lug AL Coup., 5" dia.	\$508.00
H45.10.4	4 1/2" F NH X 10' L X 4" M NH. 600 psi test, MxF NST Rocker Lug AL Coup., 5" dia.	\$508.00
HS5.10.4	5" STORZ X 10' L X 4" M NH. 600 psi test, AL Coup., 5" dia.	\$535.00

\* Hose of various diameter, lengths, and materials is available upon request

\* National Hose Thread (NH/NST) couplings are standard. Other thread types available by request.

## Cases

CASE520	Equipment Case, Seahorse , 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$110.00
CASE520G	Gauge Case, 15.1 x 12.4 x 6.9 w/ custom foam insert for up to six gauges	\$122.00
CASE101227YL	Equipment Case, 19.75 x 15.75 x 7.47	\$195.00
CASE920	Equipment Case, Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$233.00
CASERCFT	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	\$501.00

\* Dimensions of outer case in inches.

## Dechlor Demon and Accessories

DD2H	Dechlor Demon 2 1/2" Assembly. Includes 1 gal. 6" x 13" tank, manifold and bypass tubes	\$1,875.00
DD4	Dechlor Demon 4" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$2,816.00
DD4H	Dechlor Demon 4 1/2" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$2,816.00

## Replacement Parts for Dechlor Demon

DDTANK1	Mixing Tank Assembly, 1 Gallon, 6" x 13", with manifold and QD couplings	\$310.00
DDTANK10	Mixing Tank Assembly, 10 Gallon, 10" x 35", with manifold and QD couplings	\$385.00
DDVAIND.5	Indicating Bypass Valve -for precise flow control of dechlorinating agent	\$128.00
DDHOSE	Hose, 3/4" x 6' for all sizes DD bypass	\$96.00
DDHOSE20	Extension Hose, 3/4" x 20' for all sizes DD bypass	\$106.00

## Dechlorinating Agent

VDC40	Vita-D-Chlor tablets, 40 - 2 1/2" ascorbic acid tablets, 10.1 lbs.	\$289.00
VDC140	Vita-D-Chlor tablets, 140 - 2 1/2" ascorbic acid tablets in 5 gallon pail, 35.5 lbs.	\$669.00
BN140	Bio-neutralizer, 144 sodium sulfite tablets, 45 lbs.	\$144.00
BM154	Bio-max Dechlorinating Tablets, 154 (approx.) sodium sulfite tablets, 48 lbs.	\$160.00
NEC20	Enviro-C Tablets, 20 - 2 1/2" ascorbic acid tablets, 5 lbs.	\$166.00
NEC40	Enviro-C Tablets, 40 - 2 1/2" ascorbic acid tablets, 10 lbs.	\$268.00
NEC140	Enviro-C Tablets, 140 - 2 1/2" ascorbic acid tablets, 35 lbs.	\$663.00

\*Pricing for these products fluctuates frequently, please contact us to verify current price.

## Miscellaneous

TCHD	Tachometer. Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$305.00
TCHD-CAL	Tachometer. Calibrated Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$572.00

## Software

FPTSR	Fire Pump Tester Software, Pay-per-report	\$37.00
FPTSU	Fire Pump Tester Software, 1 Year Unlimited Plan	\$637.00

\* Prices subject to change. For more information and the most up-to-date pricing visit [www.hosemonster.com](http://www.hosemonster.com) or call 1-888-202-9987.