

Price List 2024

Version: 2.0

Effective: March 15, 2024

Item #	Description		Price
FPTK750	Fire Pump Test Bundle, up to 750 GPM Fire Pump		\$4,586.00
	Qty		
HML	2	The Little Hose Monster™, 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	2	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	2	Discharge Hose, 2 1/2" x 25' , single jacket, polyurethane-lined	
GK60D4	2	Pressure Gauge, 0-60 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HMRR40	2	Remote Reader Assembly, 40' tube, 2-push to connect tube fittings	
STK	1	Little Hose Monster Stabilizer, For stacking HML, includes Ratcheting Strap	
WSPA106	1	Spanner Wrench, Light weight aluminum alloy	
CASERCFPT	1	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	
FPTK1000	Fire Pump Test Bundle, up to 1000 GPM Fire Pump		\$7,286.00
	Qty		
HML	3	The Little Hose Monster™, 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	3	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	3	Discharge Hose, 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1	Monster Tester, Includes tube set and 0-60 PSI Gauge	
STK	1	Little Hose Monster Stabilizer, For stacking HML, includes Ratcheting Strap	
WSPA106	1	Spanner Wrench, Light weight aluminum alloy	
CASERCFPT	1	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	
FPTK1500	Fire Pump Test Bundle, up to 1500 GPM Fire Pump		\$9,070.00
	Qty		
HML	4	The Little Hose Monster™, 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	4	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	4	Discharge Hose, 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1	Monster Tester, Includes tube set and 0-60 PSI Gauge	
STK	2	Little Hose Monster Stabilizer, For stacking HML, includes Ratcheting Strap	
WSPA106	1	Spanner Wrench, Light weight aluminum alloy	
CASERCFPT	1	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	
FPTK2000	Fire Pump Test Bundle, up to 2000 GPM Fire Pump		\$12,878.00
	Qty		
HML	6	The Little Hose Monster™, 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	6	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	6	Discharge Hose, 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	1	Monster Tester, Includes tube set and 0-60 PSI Gauge	
STK	2	Little Hose Monster Stabilizer, For stacking HML, includes Ratcheting Strap	
WSPA106	1	Spanner Wrench, Light weight aluminum alloy	
CASERCFPT	2	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	
FPTK3000	Fire Pump Test Bundle, up to 3000 GPM Fire Pump		\$17,426.00
	Qty		
HML	8	The Little Hose Monster™, 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	8	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	8	Discharge Hose, 2 1/2" x 25' , single jacket, polyurethane-lined	
HMMT	2	Monster Tester, Includes tube set and 0-60 PSI Gauge	
STK	3	Little Hose Monster Stabilizer, For stacking HML, includes Ratcheting Strap	
WSPA106	1	Spanner Wrench, Light weight aluminum alloy	
CASERCFPT	2	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	

Item #	Description	Price
FPTK4000	Fire Pump Test Bundle, up to 4000 GPM Fire Pump	\$25,369.00
	Qty	
HML	12 The Little Hose Monster™ , 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	12 1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
H2H.25	12 Discharge Hose , 2 1/2" x 25', single jacket, polyurethane-lined	
HMMT	2 Monster Tester , Includes tube set and 0-60 PSI Gauge	
STK	4 Little Hose Monster Stabilizer , For stacking HML, includes Ratcheting Strap	
WSPA106	1 Spanner Wrench , Light weight aluminum alloy	
CASERCFPT	3 Pump Test Equipment Case , 27 x 19 x 10, formatted for HML and PN	
FFTK	Hydrant Flow Test Bundle, for flowing from a 2 1/2" port	\$3,208.00
HML	The Little Hose Monster™ , 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	
PN2GRV	2" Pitotless Nozzle Grooved . (493 to 1,305 GPM)	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GK100D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	
HGV25	Gate Valve , Slow Close 2-1/2" F NH X 2-1/2" M NH	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASEFFTK	Carrying Case , 24 x 16 x 10 w/ wheels and telescoping handle	
H2H.10YR	Discharge Hose , 2 1/2" x 10', Thru-the-weave, extruded rubber	
FFTK4	Hydrant Flow Test Bundle, for flowing from a 4" port	\$3,710.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV4NST	Gate Valve , Slow Close 4" F NH X 4 1/2" M NH	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE101227YL	Gauge and Accessory Case , 19.75 x 15.75 x 7.47	
H4.10.4	Discharge Hose , 5" Dia., Rubber extruded, 4" F NH X 10' X 4" M NH.	
FFTK45	Hydrant Flow Test Bundle, for flowing from a 4 1/2" port	\$3,710.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV45NST	Gate Valve , Slow Close 4 1/2" F NH X 4 1/2" M NH	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE101227YL	Gauge and Accessory Case , 19.75 x 15.75 x 7.47	
H45.10.4	Discharge Hose , 5" Dia., Rubber extruded, 4 1/2" F NH X 10' X 4" M NH.	
FFTK5S	Hydrant Flow Test Bundle, for flowing from a 5" STORZ port	\$3,974.00
HMBB4	The Big Boy Hose Monster , Flow Testing. 4" F NH Swivel. Gauge Incl. (856 to 2,759 GPM)	
HGV5S	Gate Valve , 5" STORZ aluminum slow close	
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GCSW200	Gauge Cap , 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA106	Spanner Wrench , light weight aluminum alloy	
CASE101227YL	Gauge and Accessory Case , 19.75 x 15.75 x 7.47	
HS5.10.4	Discharge Hose , 5" Dia., Rubber extruded, 5" STORZ X 10' X 4" M NH.	

Item #	Description	Price
FPTGK	Fire Pump Test Gauge Kit - Gauges commonly used in Fire Pump Testing.	\$730.00
GK300D4	Pump Discharge Gauge, 4" dial, 1/2% accuracy rated, 0 to 300 PSI	
GK30-200	Pump Suction Gauge, 4" dial, 1/2% accuracy rated, 30 HG to 200 PSI	
GK60D4	Discharge Flow-Rate Gauge 4" dial, 1/2% accuracy rated, 0 to 60 PSI (for Nozzle Pressure)	
CASE520G	Carrying Case, closed-cell foam insert, 6 gauge cutouts	
GKGLY4	Glycerin Refill for 4" Gauges. 8 Oz.	
HMLK2	Little Hose Monster Kit	\$1,913.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN2GRV	2" Pitotless Nozzle FM Approved (493 to 1,305 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	Gauge and Accessory Case, 19.8 x 15.5 x 7.5	
HMRR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
HMLK1.75	Little Hose Monster Kit	\$1,913.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN1.75GRV	1 3/4" Pitotless Nozzle FM Approved (331 to 993 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	Gauge and Accessory Case, 19.8 x 15.5 x 7.5	
HMRR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
HMLK1.125	Little Hose Monster Kit	\$1,913.00
HML	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	
PN1.125GRV	1 1/8" Pitotless Nozzle FM Approved (83 to 353 GPM - per nozzle)	
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI	
CASEHMLK	Gauge and Accessory Case, 19.8 x 15.5 x 7.5	
HMRR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	
	Hose Monsters®	
HML	The Little Hose Monster™. (Pitotless Nozzle and Gauge sold separate)	\$787.00
HMBB4	The Big Boy Hose Monster®. Gauge included (856 to 2,759 GPM)	\$1,180.00
	The Classic Steel Hose Monsters®	
HM2H	2 1/2" Hose Monster w/ built-in pitot (533 to 1460 GPM)	\$1,523.00
HM2HF	2 1/2" Hose Monster Flush. (Does not include pitot)	\$1,321.00
HM4	4" Hose Monster (1074 to 2941 GPM)	\$1,606.00
HM4H	4 1/2" Hose Monster (1047 to 2867 GPM)	\$1,606.00
	<i>* NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
	<i>* Gauge ordered separately.</i>	
	The Pitotless Nozzle®	
	Grooved outlet for use with Little Hose Monster (HML)	
PN2GRV	2" Pitotless Nozzle Grooved. (493 to 1,305 GPM)	\$678.00
PN1.75GRV	1 3/4" Pitotless Nozzle Grooved. (331 to 1041 GPM)	\$678.00
PN1.125GRV	1 1/8" Pitotless Nozzle Grooved. (83 to 353 GPM)	\$678.00
PN1GRV	1" Pitotless Nozzle Grooved. (47 to 258 GPM)	\$678.00
	<i>*NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>	
	<i>* Gauge ordered separately.</i>	

Item #	Description	Price
The Pitotless Nozzle®		
Threaded outlet for use with Classic Steel Hose Monster (HM2H)		
PN2THD	2" Pitotless Nozzle Threaded. (521 to 1,379 GPM)	\$683.00
PN1.75THD	1 3/4" Pitotless Nozzle Threaded. (337 to 1,011 GPM)	\$683.00
PN1.125THD	1 1/8" Pitotless Nozzle Threaded. (84 to 355 GPM)	\$683.00
PN1THD	1" Pitotless Nozzle Threaded. (48 to 262 GPM)	\$683.00
<i>*NH Swivel Coupling is standard</i>		
<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>		
<i>* Gauge ordered separately.</i>		
The In-line Pitotless Nozzle™		
INPNWCK	In-line Pitotless Nozzle Kit, three sizes. 2", 1 3/4", and 1 1/8" (86 to 1432 GPM)	\$4,549.00
INPNWC2	2" In-line Pitotless Nozzle Kit. (523 to 1,432 GPM) (2 1/2" Female NH coupling)	\$3,167.00
INPNWC1.75	1 3/4" In-line Pitotless Nozzle Kit. (246 to 983 GPM) (2 1/2" Female NH coupling)	\$3,167.00
INPNWC1.125	1 1/8" In-line Pitotless Nozzle Kit. (86 to 321 GPM) (2 1/2" Female NH coupling)	\$3,167.00
<i>* NH Swivel Coupling is standard</i>		
<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>		
INPNWC1.5	1 1/2" In-line Pitotless Nozzle Kit. (45 to 301 GPM) (1 1/2" Female NH Coupling)	\$2,784.00
<i>*NH or NPSH swivel Coupling is standard</i>		
FM Nozzle Inserts™		
HMNI1.75	1 3/4" Nozzle Insert. For use with HM2H (282 to 771 GPM)	\$310.00
HMNI1.125	1 1/8" Nozzle Insert. For use with HM2H (118 to 324 GPM)	\$310.00
Little Hose Monster Accessories		
FN	Flushing Nozzle. 2 1/2" F NH.	\$93.00
<i>*NH Swivel Coupling is standard</i>		
<i>* Special threads available upon request: CSA, WCT, BCT, AMA, QST, BAT, BSP</i>		
STK	Little Hose Monster Stabilizer. For stacking HML, includes RTD	\$109.00
RTD	Ratcheting Strap	\$24.00
Hose Monster Accessories		
HMPR	Pitot Rebuild. Exchange a damaged pitot for a refurbished pitot.	\$128.00
HMP	Pitot Replacement Kit. For HM2H. Includes: NEW pitot and pitot accessories	\$342.00
HMBSG	Pitot Accessory Kit. set screw, ball bearing, spring, ball stop	\$23.00
PCK	Pitot Change-out Kit. 1/8" x 6" hex wrench, block magnet	\$27.00
STA	Stackers. For stacking HM2H, Two required per three Hose Monsters	\$164.00
RTD	Ratcheting Tie Down. For stacked units. Use with HM2H AND HM2HF; not for HML	\$24.00
HM2HR	2 1/2" Refurbish your old Hose Monster.	\$483.00
HM4R	4" Refurbish your old Hose Monster.	\$483.00
HM4HR	4 1/2" Refurbish your old Hose Monster.	\$483.00
Remote Readers and Monster Tester™		
HMRR12	Remote Reader Assembly, 12' tube, 2-push to connect tube fittings	\$43.00
HMRR40	Remote Reader Assembly, 40' tube, 2-push to connect tube fittings	\$54.00
HMRR60	Remote Reader Assembly, 60' tube, 2-push to connect tube fittings	\$62.00
HMMT	Monster Tester (Gauge Included). Includes tube set and 0-60 PSI Gauge (GK60D4).	\$1,547.00
Wrenches		
HW107	Hydrant Wrench. adjustable, single spanner head	\$78.00
WSPA106	Spanner Wrench. light weight aluminum alloy	\$38.00
WSPA104	Wrench for Pitotless Nozzle THD. only needed if PN is used with HM2H or HM2HF	\$31.00

Item #	Description	Price
Hydrant Gate Valves		
HGV25	2 1/2" Gate Valve, Heavy-Duty. Aluminum, Slow Close	\$640.00
HGV4NST	4" Gate Valve. Aluminum, Slow Close	\$1,259.00
HGV4.5NST	4 1/2" Gate Valve. Aluminum, Slow Close	\$1,259.00
HGV5S	5" Storz Gate Valve. Aluminum, Slow Close	\$1,490.00
	<i>NH Swivel Coupling is standard</i>	
	<i>* Special threads available upon request</i>	
Gauge Caps		
GCSW	Gauge Cap, without gauge, 2 1/2" NH	\$154.00
	<i>* Special threads available upon request.</i>	
Pressure Gauges		
Pump Room Gauges		
	Glycerin filled; Fittings not included	
	2 1/2" Dial	
GK160	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-160 psi operating range	\$127.00
GK200	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-200 psi operating range	\$127.00
	4" Dial	
GK160D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-160 psi operating range	\$174.00
GK200D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-200 psi operating range	\$174.00
GK300D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-300 psi operating range	\$174.00
GK600D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-600 psi operating range	\$311.00
Compound Gauges		
GK30-100	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-100 psi operating range	\$286.00
GK30-160	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-160 psi operating range	\$286.00
GK30-200	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-200 psi operating range	\$286.00
GK30-300	Compound Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 30 Hg-300 psi operating range	\$286.00
Flow Rate Gauges		
	Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings	
	2 1/2" Dial	
GK30	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-30 psi operating range	\$127.00
GK60	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-60 psi operating range	\$127.00
GK100	2 1/2" dial, 1/4" NPT, 1% accuracy FS, 0-100 psi operating range	\$127.00
	4" Dial	
GK30D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-30 psi operating range	\$212.00
GK60D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-60 psi operating range	\$212.00
GK100D4	4" dial, 1/4" NPT, 0.5% accuracy FS, 0-100 psi operating range	\$212.00
Hydrant Gauges		
	Glycerin filled; Includes: gauge, brass tee, nipple, petcock, quick disconnect couplings	
	Gauge Cap, with gauge, 2 1/2" NH	
GCSW160	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-160 PSI Pressure Gauge	\$288.00
GCSW200	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-200 PSI Pressure Gauge	\$288.00
GCSW300	Gauge Cap with Gauge, 2 1/2" NH, Includes 0-300 PSI Pressure Gauge	\$288.00
	<i>* Special threads available upon request.</i>	
	<i>* Other psi ranges available upon request.</i>	

Item #	Description	Price
Specialty Gauges		
LG2.5	Line Gauge, 2 1/2" NH, 1% accuracy FS, 0 to 200 psi operating range	\$246.00
GK6.8BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-6.8 Bar, 0-100 psi	\$225.00
GK10.9BD4	Bar and psi, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-10.9 Bar, 0-160 psi	\$225.00
GKBBD4	BigBoy Hose Monster Gauge, 4" dial, 1/4" NPT, 0.5% accuracy FS, 0-2700 GPM, 0-60 PSI	\$225.00
GKMMWC250	Monster Meter™, Hand-held, 0.5% accuracy FS, 0-250 psi operating range	\$1,677.00
Gauge Services		
GCCN	Gauge Certify and Calibrate to NIST std. for NEW gauges only	\$35.00
GCCNDM	Gauge Certify and Calibrate to NIST std. NEW Monster Meter™	\$117.00
GCC2H	Gauge Certify and Calibrate to NIST std. 2 1/2" dial	\$64.00
GCC4	Gauge Certify and Calibrate to NIST std. 4" dial	\$93.00
GCCD	Gauge Certify and Calibrate to NIST std. Digital Gauge	\$121.00
GCCSM	Annual Pressure Transducer Certify and Calibrate to NIST std. Smart Monster™	\$174.00
GCCDM	Annual Gauge Calibration to NIST std. Monster Meter™	\$174.00
GCCDM-R	Annual Repair & Calibration to NIST std. Monster Meter™	\$323.00
Gauge Accessories		
QDCOUP	Quick Disconnect Coupling. male and female	\$22.00
GCF	Gauge fittings. brass tee, nipple, petcock, QDCOUP (included with gauges)	\$39.00
GB2H	Gauge boot for 2 1/2" gauges. durable black rubber protective boot for your gauge	\$20.00
GB4	Gauge boot for 4" gauges. durable black rubber protective boot for your gauge	\$28.00
GKGLY4	Glycerin Refill for 4" Gauges. 8 Oz.	\$19.00
Adapters and Reducers		
AD25#.25#	Adapter 2 1/2" F (specified thread) to 2 1/2" M (specified thread)	\$99.00
AD4.25NST	Reducer 4" F NH x 2 1/2" M NH	\$151.00
AD45.25NST	Reducer 4 1/2" F NH x 2 1/2" M NH	\$216.00
AD45.4NST	Reducer 4 1/2" F NH x 4" M NH	\$225.00
AS50M25N	Adapter, 5" Storz x 2 1/2" M NH (Connection between 5" STORZ and 2 1/2" NH)	\$271.00
AS50M40N	Adapter, 5" Storz x 4" M NH (Connection between 5" STORZ and 4"NH)	\$298.00
AS50M45N	Adapter, 5" Storz x 4 1/2" M NH (Connection between 5" STORZ and 4 1/2" NH)	\$300.00
AS5XS4	Adapter, 5" Storz x 4" Storz	\$516.00
<i>* Custom-made adapters for all threads and sizes are available upon request</i>		
Stream Shapers		
SS1	Stream Shaper, 2 1/2" , aluminum body with replaceable plastic fins	\$116.00
SS1RF	Replacement Stream Shaper Fins for SS1	\$61.00
Nozzle Extensions		
NE2HNNH11	Nozzle Extension. 2-1/2" NH X 11"	\$219.00
NE2HNNH11WF	Nozzle Extension. 2-1/2" NH X 11" WITH FINS	\$263.00
Elbow		
EL452HNNH	45° Elbow, 2 1/2" NH, 200 PSI rated	\$133.00
EL302HNNH	30° Elbow, 2 1/2" NH, 200 PSI rated	\$133.00

Item #	Description	Price
Hose		
Single Jacket, Rubber-lined, (SJR) 2 1/2" Coup. / 2 1/2" Dia. Hose		
H2H.10SJR	2 1/2" x 10', 500 psi test, MxF NH Rocker Lug AL Coup.	\$153.00
H2H.25SJR	2 1/2" x 25', 500 psi test, MxF NH Rocker Lug AL Coup.	\$210.00
H2H.50SJR	2 1/2" x 50', 500 psi test, MxF NH Rocker Lug AL Coup.	\$323.00
Single Jacket, Rubber-lined, (SJR) 2 1/2" Coup. / 3" Dia. Hose		
H3.10SJR	3' x 10', 500 psi test, MxF NH Rocker Lug AL Coup.	
H3.25SJR	3" x 25', 500 psi test, MxF NH Rocker Lug AL Coup.	\$300.00
H3.50SJR	3" x 50', 500 psi test, MxF NH Rocker Lug AL Coup.	\$450.00
Rubber Extruded, thru-the-weave construction		
H2H.5YR	2 1/2" x 5', 500 psi test, MxF NH Rocker Lug AL Coup.	\$127.00
H2H.10YR	2 1/2" x 10', 500 psi test, MxF NH Rocker Lug AL Coup.	\$171.00
H2H.25YR	2 1/2" x 25', 500 psi test, MxF NH Rocker Lug AL Coup.	\$260.00
H2H.50YR	2 1/2" x 50', 500 psi test, MxF NH Rocker Lug AL Coup.	\$412.00
H4.10.4	4" F NH x 10' L x 4" M NH, 600 psi test, MxF NH Rocker Lug AL Coup., 5" dia.	\$602.00
H45.10.4	4 1/2" F NH x 10' L x 4" M NH. 600 psi test, MxF NH Rocker Lug AL Coup., 5" dia.	\$602.00
HS5.10.4	5" STORZ x 10' L x 4" M NH. 600 psi test, AL Coup., 5" dia.	\$635.00
<i>* Hose of various diameter, lengths, and materials is available upon request</i>		
<i>* National Hose Thread (NH/NST) couplings are standard. Other thread types available by request.</i>		
Cases		
CASE520	Equipment Case, Seahorse, 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$137.00
CASE520G	Gauge Case, 15.1 x 12.4 x 6.9 w/ custom foam insert for up to six gauges	\$151.00
CASE720G	Gauge Case, 19.8 x 15.5 x 7.5 w/ custom foam insert for up to twelve gauges	\$248.00
CASE720	Equipment Case, Seahorse, 19.8 x 15.5 x 7.5	\$222.00
CASE920	Equipment Case, Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$289.00
CASERCFPT	Pump Test Equipment Case, 27 x 19 x 10, formatted for HML and PN	\$567.00
<i>* Dimensions of outer case in inches.</i>		
Dechlor Demon and Accessories		
DD2H	Dechlor Demon 2 1/2" Assembly. Includes 1 gal. 6" x 13" tank, manifold and bypass tubes	\$2,120.00
DD4	Dechlor Demon 4" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$3,183.00
DD4H	Dechlor Demon 4 1/2" Assembly. Includes 10 gal. 10" x 35", tank, manifold and bypass tubes	\$3,183.00
Replacement Parts for Dechlor Demon		
DDTANK1.33	Mixing Tank Assembly, 1.33 Gallon, 6" x 13", with manifold and QD couplings	\$352.00
DDTANK10	Mixing Tank Assembly, 10 Gallon, 10" x 35", with manifold and QD couplings	\$437.00
DDVAIND.5	Indicating Bypass Valve - for precise flow control of dechlorinating agent	\$145.00
DDHOSE	Hose, 3/4" x 6' for all sizes DD bypass	\$109.00
DDHOSE20	Extension Hose, 3/4" x 20' for all sizes DD bypass	\$120.00
Dechlorinating Agent		
VDC40	Vita-D-Chlor tablets, 40 - 2 1/2" ascorbic acid tablets, 10.1 lbs.	\$355.00
VDC140	Vita-D-Chlor tablets, 140 - 2 1/2" ascorbic acid tablets in 5 gallon pail, 35.5 lbs.	\$670.00
BN140	Bio-neutralizer, 144 sodium sulfite tablets, 45 lbs.	\$189.00
BM154	Bio-max Dechlorinating Tablets, 154 (approx.) sodium sulfite tablets, 48 lbs.	\$243.00
NEC20	Enviro-C Tablets, 20 - 2 1/2" ascorbic acid tablets, 5 lbs.	\$160.00
NEC40	Enviro-C Tablets, 40 - 2 1/2" ascorbic acid tablets, 10 lbs.	\$250.00
NEC140	Enviro-C Tablets, 140 - 2 1/2" ascorbic acid tablets, 35 lbs.	\$670.00
<i>*Pricing for these products fluctuates frequently, please contact us to verify current price.</i>		
Miscellaneous		
TCHD	Tachometer. Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$345.00
TCHD-CAL	Tachometer. Calibrated Extech Mini Laser Photo Tachometer. Measures Fire Pump RPM.	\$646.00
Software		
FPTSR	Fire Pump Tester Software, Pay-per-report	\$37.00
FPTSU	Fire Pump Tester Software, 1 Year Unlimited Plan	\$637.00

Item #	Description	Price
Smart Monsters		
SMPT10-100	SM Pressure Transducer , 0-100 psi, calibrated, w/ ss fitting	\$995.00
SMPT10-20-300	SM Pressure Transducer , 20-300 psi, calibrated, w/ ss fitting	\$995.00
SMRE	SM Range Extender , w/ antenna (minimum 2 needed)	\$495.00
SMCC10	SM Charging Case , power supply cord, closed-cell foam insert (8 devices)	\$745.00
SMKIT10	SM Kit , includes charge case, (2) Range Extenders and six (6) Pressure Transducers	\$7,705.00

* Prices subject to change. For more information and the most up-to-date pricing visit www.hosemonster.com or call 1-888-202-9987.