

## Hose Monster - Price List April 1, 2026

Effective: April 1, 2026

Item #	Description	List Price
<b>Hose Monsters®</b>		
HML	<b>The Little Hose Monster™</b> (Pitotless Nozzle and Gauge sold separate)	\$880.00
HMBB4	<b>The Big Boy Hose Monster®</b> gauge included (856 to 2,759 GPM)	\$1,386.00
<b>The Classic Steel Hose Monsters®</b>		
HM2H	<b>2 1/2" Hose Monster</b> w/ built-in pitot (533-1411 GPM)	\$1,788.00
HM2HF	<b>2 1/2" Hose Monster Flusher</b> (Does not include pitot)	\$1,551.00
HM4	<b>4" Hose Monster</b> w/ built-in orifice plate (1074-2842 GPM)	\$1,885.00
HM4H	<b>4 1/2" Hose Monster</b> w/ built-in orifice plate (1047-2770 GPM)	\$1,885.00
* Female (NH) thread is standard. Special threading available.		
* Gauge ordered separately.		
<b>The Pitotless Nozzle®</b>		
<b>Grooved outlet for use with Little Hose Monster (HML)</b>		
PN2GRV	<b>2" Pitotless Nozzle, Grooved</b> (493 to 1,305 GPM)	\$807.00
PN1.75GRV	<b>1 3/4" Pitotless Nozzle, Grooved</b> (331 to 936 GPM)	\$807.00
PN1.125GRV	<b>1 1/8" Pitotless Nozzle, Grooved</b> (83 to 333 GPM)	\$807.00
PN1GRV	<b>1" Pitotless Nozzle, Grooved</b> (47-243 GPM)	\$807.00
<b>Threaded outlet for use with Steel Hose Monster (HM2H)</b>		
PN2THD	<b>2" Pitotless Nozzle, Threaded</b> (521 to 1,379 GPM)	\$813.00
PN1.75THD	<b>1 3/4" Pitotless Nozzle, Threaded</b> (337 to 953 GPM)	\$813.00
PN1.125THD	<b>1 1/8" Pitotless Nozzle, Threaded</b> (84 to 335 GPM)	\$813.00
PN1THD	<b>1" Pitotless Nozzle, Threaded</b> (48 to 247 GPM)	\$813.00
* 2 1/2" F(NH) thread is standard. Special threading available.		
* Gauge ordered separately.		

<b>Smart Monster™</b>			
SMPT 2.0CP	<b>SMART MONSTER PRESSURE TRANSDUCER,..VERSION 2.0..W/CHARGING PAD (-15 to</b>		\$1,225.00
SMCC10	<b>Charging Case</b>		\$795.00
SMKIT10	<b>Kit (8 Smart Monster, Charging Case and 1 year License of Long Range Connect )</b>		\$10,595.00
<b>The In-line Pitotless Nozzle™</b>			
INPNWCK	<b>Inline Pitotless Nozzle Kit, three sizes 2", 1 3/4", and 1 1/8"</b> (86 to 1432 GPM)		\$5,341.00
INPNWC2	<b>2" In-line Pitotless Nozzle Kit</b> (523 to 1,432 GPM)		\$3,719.00
INPNWC1.75	<b>1 3/4" In-line Pitotless Nozzle Kit</b> (246 to 983 GPM)		\$3,719.00
INPNWC1.125	<b>1 1/8" In-line Pitotless Nozzle Kit</b> (86 to 321 GPM)		\$3,719.00
	<i>*2 1/2" F(NH) thread is standard. Special threading available.</i>		
INPNWC1.5	<b>1 1/2" In-line Pitotless Nozzle Kit</b> (45 to 301 GPM)		\$3,234.00
	<i>*1 1/2" F(NH / NPSH) thread is standard.</i>		
<b>FM Nozzle Inserts™</b>			
HMNI1.75	<b>1 3/4" Nozzle Insert</b>	for use with HM2H (282 to 745 GPM)	\$347.00
HMNI1.125	<b>1 1/8" Nozzle Insert</b>	for use with HM2H (118 to 313 GPM)	\$347.00
<b>Little Hose Monster Accessories</b>			
FN	<b>Flushing Nozzle</b>		\$111.00
	<i>*2 1/2" F(NH) thread is standard. Special threading available.</i>		
STK	<b>Little Hose Monster Stabilizer</b>	for stacking HML, includes RTD	\$124.00
RTD	<b>Ratcheting Strap</b>	for stacked units.	\$28.00

Item #	Description	List Price
<b>Hose Monster Accessories</b>		
HMP	<b>Pitot Replacement Kit</b> incl. new pitot, flow chart, pin/chain, splash guards and acc. kit	\$388.00
HMBSG	<b>Pitot Accessory Kit</b> set screw, ball bearing, spring, ball stop	\$28.00
PCK	<b>Pitot Change-out Kit</b> 1/8" x 6" hex wrench, block magnet	\$31.00
STA	<b>Stacker</b> for stacking HM2H, Two required per three Hose Monsters	\$186.00
RTD	<b>Ratcheting Strap</b> for stacked units.	\$28.00
<b>Remote Readers and Monster Tester™</b>		
HMRR12	<b>Remote Reader Assembly</b> 12' tube, 2-push to connect tube fittings	\$49.00
HMRR40	<b>Remote Reader Assembly</b> 40' tube, 2-push to connect tube fittings	\$62.00
HMRR60	<b>Remote Reader Assembly</b> 60' tube, 2-push to connect tube fittings	\$70.00
HMMT	<b>Monster Tester</b> includes tube set and 0-60 psi Gauge	\$2,129.00
<b>Wrenches</b>		
HW107	<b>Hydrant Wrench</b> adjustable, single spanner head	\$92.00
WSPA106	<b>Spanner Wrench</b> light weight aluminum alloy	\$45.00
WSPA104	<b>Wrench for Pitotless Nozzle THD</b> only needed if PN is used with HM2H or HM2HF	\$37.00
<b>Hydrant Gate Valves</b>		
HGV25	<b>2 1/2" Gate Valve</b> aluminum, slow close	\$886.00
HGV4NST	<b>4" Gate Valve</b> aluminum, slow close	\$2,179.00
HGV4.5NST	<b>4 1/2" Gate Valve</b> aluminum, slow close	\$2,179.00
HGV5S	<b>5" STORZ Gate Valve</b> aluminum, slow close	\$2,658.00
<b>*NH thread is standard. Special threading available.</b>		
<b>Gauge Caps</b>		
GCSW160	<b>Gauge Cap with Gauge</b> 0-160 psi operating range, 0.5% accuracy FS	\$343.00
GCSW200	<b>Gauge Cap with Gauge</b> 0-200 psi operating range, 0.5% accuracy FS	\$343.00
GCSW300	<b>Gauge Cap with Gauge</b> 0-300 psi operating range, 0.5% accuracy FS	\$343.00
GCSW	<b>Gauge Cap only</b>	\$183.00

\*2 1/2" F(NH) thread is standard. Special threading available.

<b>Analog Pressure Gauges</b>			
GK30	<b>2 1/2" dial</b>	0-30 psi operating range, 1/4" NPT, 1% accuracy FS	\$144.00
GK60	<b>2 1/2" dial</b>	0-60 psi operating range, 1/4" NPT, 1% accuracy FS	\$144.00
GK100	<b>2 1/2" dial</b>	0-100 psi operating range, 1/4" NPT, 1% accuracy FS	\$144.00
GK60D4	<b>4" dial</b>	0-60 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$241.00
GK100D4	<b>4" dial</b>	0-100 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$241.00
<b>*Glycerin Filled; fittings incl- brass tee, nipple, petcock, quick disconnect couplings</b>			
GK160	<b>2 1/2" dial</b>	0-160 psi operating range, 1/4" NPT, 1% accuracy FS	\$144.00
GK160D4	<b>4" dial</b>	0-160 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$197.00
GK200D4	<b>4" dial</b>	0-200 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$197.00
GK300D4	<b>4" dial</b>	0-300 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$197.00
GK600D4	<b>4" dial</b>	0-600 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$353.00

Item #	Description	List Price
<b>Compound Gauges</b>		
GK30-100	<b>4" dial</b> 30 HG-100 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$325.00
GK30-160	<b>4" dial</b> 30 HG-160 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$325.00
GK30-200	<b>4" dial</b> 30 HG-200 psi operating range, 1/4" NPT, 0.5% accuracy FS	\$325.00
GK30-300	<b>4" dial</b> 30 HG-300 psi operating range, 1/4" NPT, 0.5% accuracy FS.	\$325.00
<b>Specialty Gauges</b>		
LG2.5	<b>Line Gauge</b> 0-200 psi operating range, 2 1/2" NH, 1% accuracy FS	\$293.00
GK6.8BD4	<b>4" dial</b> 0-6.8 Bar/ 0-100 psi, 1/4" NPT, 0.5% accuracy FS	\$256.00
GK10.9BD4	<b>4" dial</b> 0-10.9 Bar/ 0-160 psi, 1/4" NPT, 0.5% accuracy FS	\$256.00
GKBBD4	<b>4" dial Big Boy HM</b> 856-2759 GPM / 0-60 psi, 1/4" NPT, 0.5% accuracy FS	\$256.00
	<i>*Glycerin Filled; fittings incl- brass tee, nipple, petcock, quick disconnect couplings</i>	
GKMMWC250	<b>MONSTER METER</b> , 0-250 psi op range, hand-held, 0.5% acc. FS. Wireless Charging	\$1,902.00
<b>Gauge Services</b>		
GCCN	<b>New gauges only</b> calibration services traceable to NIST stds.	\$39.00
GCCNDM	<b>New Monster Meter</b> calibration services traceable to NIST stds.	\$99.00
<b>Gauge Accessories</b>		
QDCOUP	<b>Quick Disconnect Coupling</b> male and female	\$24.00
GCF	<b>Gauge fittings</b> brass tee, nipple, petcock, QDCOUP (included with gauges)	\$45.00
GB2H	<b>Gauge boot for 2 1/2" gauges</b> durable black rubber protective boot	\$22.00
GB4	<b>Gauge boot for 4" gauges</b> durable black rubber protective boot	\$32.00
GKGLY4	<b>Glycerin refill for 4" gauges</b> 8 Oz.	\$21.00
<b>Adapters and Reducers</b>		
AD25#.25#	<b>Adapter</b> 2 1/2" F (specified thread) to 2 1/2" M (specified thread)	\$116.00
AD4.25NST	<b>Reducer</b> 4" F NH x 2 1/2" M NH	\$176.00
AD45.25NST	<b>Reducer</b> 4 1/2" F NH x 2 1/2" M NH	\$251.00

AD45.4NST	<b>Reducer</b>	4 1/2" F NH x 4" M NH	\$251.00
AS50M25M	<b>Adapter</b>	5" Storz x 2 1/2" M NH (Connection between 5" Storz and 2 1/2" NH)	\$315.00
AS50M40N	<b>Adapter</b>	5" Storz x 4" M NH (Connection between 5" Storz and 4" NH)	\$346.00
AS50M45N	<b>Adapter</b>	5" Storz x 4 1/2" M NH (Connection between 5" Storz and 4 1/2" NH)	\$348.00
AS5XS4	<b>Adapter</b>	5" Storz x 4" Storz	\$610.00

\* Specialty adapters for various threads and sizes are available.

Item #	Description	List Price
<b>Stream Shapers / Nozzle Extensions / Elbows</b>		
SS1	<b>Stream Shaper</b> 2 1/2" NH, Aluminum body with replaceable plastic fins	\$136.00
SS1RF	<b>Replacement Fins</b> Stream Shaper	\$65.00
NE2HNNH11	<b>Nozzle Extension</b> 2 1/2" NH x 11" aluminum body	\$259.00
NE2HNNH11WF	<b>Nozzle Extension</b> 2-1/2" NH x 11" aluminum body with fins	\$306.00
EL452HNNH	<b>45° Elbow</b> 2 1/2" NH, 200 psi rated, cast AL, powder coat finish	\$154.00
<b>Discharge Hose</b>		
<b>Polyester Jacket, Polyurethane lined</b>		
H2H.25	<b>2 1/2" x 25'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$239.00
H2H.50	<b>2 1/2" x 50'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$366.00
<b>Rubber Jacket</b>		
H2H.5YR	<b>2 1/2" x 5'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$144.00
H2H.10YR	<b>2 1/2" x 10'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$194.00
H2H.25YR	<b>2 1/2" x 25'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$295.00
H2H.50YR	<b>2 1/2" x 50'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	\$468.00
H4.10.4	<b>4" F NH x 10' L x 4" M NH</b> 600 psi Test, MxF Rocker Lug AL coup., 5" dia.	\$683.00
H45.10.4	<b>4 1/2" F NH x 10' L x 4" M NH</b> 600 psi Test, MxF NST Rocker Lug AL Coup., 5" dia.	\$683.00
HS5.10.4	<b>5" STORZ x 10' L x 4" M NH</b> 600 psi Test, AL Coup., 5" dia.	\$719.00
*Hose of various diameter, lengths, and materials are available upon request.		
*Special threading available		
<b>Cases</b>		
CASE520	<b>Equipment Case</b> Seahorse , 15.1 x 12.4 x 6.9, Pick & Pluck Foam	\$155.00
CASE520G	<b>Gauge Case</b> , 15.1 x 12.4 x 6.9, Closed Cell Foam Insert for six gauges	\$171.00
CASE720	<b>Equipment Case</b> , 19.75 x 15.75 x 7.47, Pick & Pluck Foam	\$251.00

CASE720G	<b>Gauge Case</b> , 19.8 x 15.5 x 7.5, Closed Cell Foam for twelve gauges	\$281.00
CASE920	<b>Equipment Case</b> Seahorse, 24 x 16 x 10, Pick & Pluck Foam, wheels/telescoping handle	\$328.00
CASERCFPT	<b>Pump Test Case</b> 27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle	\$643.00
* Dimensions of outer case in inches		
<b>Dechlor Demon and Accessories</b>		
DD2H	<b>Dechlor Demon 2 1/2"</b> includes 1 Gal. 6" x 13" tank, manifold and bypass tubes	\$2,405.00
DD4	<b>Dechlor Demon 4"</b> includes 10 Gal. 10" x 35", tank, manifold and bypass tubes	\$3,610.00
DD4H	<b>Dechlor Demon 4 1/2"</b> includes 10 Gal. 10" x 35", tank, manifold and bypass tubes	\$3,610.00

Item #	Description	List Price
<b>Replacement Parts for Dechlor Demon</b>		
DDTANK1.33	<b>Mixing Tank Assembly</b> 1.33 Gallons, 6" x 18", with manifold and QD couplings	\$450.00
DDTANK10	<b>Mixing Tank Assembly</b> 10 Gallon, 10" x 35", with manifold and QD couplings	\$558.00
DDVAIND.5	<b>Indicating Bypass Valve</b> for precise flow control of dechlorinating agent	\$185.00
DDHOSE	<b>Hose</b> 3/4" x 6' for all sizes DD bypass	\$139.00
DDHOSE20	<b>Extension Hose</b> 3/4" x 20' for all sizes DD bypass	\$153.00
<b>Dechlorinating Agent</b>		
VDC40	<b>Vita-D-Chlor tablets</b> 40 - 2 1/2" ascorbic acid tablets, 10.1 lbs.	\$391.00
VDC140	<b>Vita-D-Chlor tablets</b> 140 - 2 1/2" ascorbic acid tablets in 5 gallon pail, 35.5 lbs.	\$737.00
BN140	<b>Bio-neutralizer</b> 144 sodium sulfite tablets, 45 lbs.	\$225.00
BM154	<b>Bio-max Dechlorinating Tablets</b> 154 (approx.) sodium sulfite tablets, 48 lbs.	\$267.00
NEC20	<b>Enviro-C tablets</b> 20 - 2 1/2" ascorbic acid tablets, 5 lbs.	\$176.00
NEC40	<b>Enviro-C tablets</b> 40 - 2 1/2" ascorbic acid tablets, 10 lbs.	\$275.00
NEC140	<b>Enviro-C tablets</b> 140 - 2 1/2" ascorbic acid tablets, 35 lbs.	\$682.00

**KITS AND BUNDLES**

The following items are our recommended bundles for Fire Pump Testing and Fire Flow Testing. Actual equipment needed may vary depending on intended use and preferences. Contact us to determine the configuration best suited for your operation.

Item #	Description	List Price
FPTK750	<b>Fire Pump Test Bundle, up to 750 GPM Fire Pump</b>	\$5,270.00
	<b>Qty</b>	
HML	2 <b>The Little Hose Monster™</b> (Pitotless Nozzle and Gauge sold separate)	
PN1.75GRV	2 <b>1 3/4" Pitotless Nozzle, Grooved</b> (330 to 1,000 GPM)	
H2H.25	2 <b>Discharge Hose</b> , 2 1/2" x 25', White, single jacket, polyurethane-lined, NH, RL coupling	

GK60D4	2	<b>Pressure Gauge</b>	0-60 psi operating range, 1/4" NPT, 0.5% accuracy FS
HMRR40	2	<b>Remote Reader Assembly</b>	40' tube, 2-push to connect tube fittings
STK	1	<b>Little Hose Monster Stabilizer</b>	for stacking HML, includes Ratcheting Strap
WSPA106	1	<b>Spanner Wrench</b>	light weight aluminum alloy
CASERCFPT	1	<b>Pump Test Case</b>	27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle
<hr/>			
FPTK1000	<b>Fire Pump Test Bundle, up to 1000 GPM Fire Pump</b>		<b>\$8,719.00</b>
<hr/>			
<b>Qty</b>			
HML	3	<b>The Little Hose Monster™</b>	
PN1.75GRV	3	<b>1 3/4" Pitotless Nozzle, Grooved</b>	(330 to 1,000 GPM)
H2H.25	3	<b>Discharge Hose</b> , 2 1/2" x 25', White, single jacket, polyurethane-lined, NH, RL coupling	
HMMT	1	<b>Monster Tester</b>	includes tube set and 0-60 psi Gauge
STK	1	<b>Little Hose Monster Stabilizer</b>	for stacking HML, includes Ratcheting Strap
WSPA106	1	<b>Spanner Wrench</b>	light weight aluminum alloy
CASERCFPT	1	<b>Pump Test Case</b>	27 x 19 x 10, Closed Cell Foam, wheels/telecoping handle
<hr/>			

Item #	Description	List Price
<b>FPTK1500</b>	<b>Fire Pump Test Bundle, up to 1500 GPM Fire Pump</b>	<b>\$10,769.00</b>
	<b>Qty</b>	
HML	4 <b>The Little Hose Monster™</b>	
PN1.75GRV	4 <b>1 3/4" Pitotless Nozzle, Grooved</b> (330 to 1,000 GPM)	
H2H.25	4 <b>2 1/2" x 25'</b> 500 psi Test, MxF NST Rocker Lug AL Coup.	
HMMT	1 <b>Monster Tester</b> includes tube set and 0-60 psi Gauge	
STK	2 <b>Little Hose Monster Stabilizer</b> for stacking HML, includes Tie Down	
WSPA106	1 <b>Spanner Wrench</b> light weight aluminum alloy	
CASERCFPT	1 <b>Pump Test Case</b> 27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle	
<b>FPTK2000</b>	<b>Fire Pump Test Bundle, up to 2000 GPM Fire Pump</b>	<b>\$15,264.00</b>
	<b>Qty</b>	
HML	6 <b>The Little Hose Monster™</b>	
PN1.75GRV	6 <b>1 3/4" Pitotless Nozzle, Grooved</b> (330 to 1,000 GPM)	
H2H.25	6 <b>Discharge Hose</b> , 2 1/2" x 25', White, single jacket, polyurethane-lined, NH, RL coupling	
HMMT	1 <b>Monster Tester</b> includes tube set and 0-60 psi Gauge	
STK	2 <b>Little Hose Monster Stabilizer</b> for stacking HML, includes Ratcheting Strap	
WSPA106	1 <b>Spanner Wrench</b> light weight aluminum alloy	
CASERCFPT	2 <b>Pump Test Case</b> 27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle	
<b>FPTK3000</b>	<b>Fire Pump Test Bundle, up to 3000 GPM Fire Pump</b>	<b>\$21,369.00</b>
	<b>Qty</b>	
HML	8 <b>The Little Hose Monster™</b>	
PN1.75GRV	8 <b>1 3/4" Pitotless Nozzle, Grooved</b> (330 to 1,000 GPM)	
H2H.25	8 <b>Discharge Hose</b> , 2 1/2" x 25', White, single jacket, polyurethane-lined, NH, RL coupling	
HMMT	2 <b>Monster Tester</b> includes tube set and 0-60 psi Gauge	

STK	3	<b>Little Hose Monster Stabilizer</b>	for stacking HML, includes Ratcheting Strap
WSPA106	1	<b>Spanner Wrench</b>	light weight aluminum alloy
CASERCFPT	2	<b>Pump Test Case</b>	27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle
<b>FPTK4000</b>		<b>Fire Pump Test Bundle, up to 4000 GPM Fire Pump</b>	<b>\$29,840.00</b>
		<b>Qty</b>	
HML	12	<b>The Little Hose Monster™</b>	
PN1.75GRV	12	<b>1 3/4" Pitotless Nozzle, Grooved</b>	(330 to 1,000 GPM)
H2H.25	12	<b>Discharge Hose</b>	, 2 1/2" x 25', White, single jacket, polyurethane-lined, NH, RL coupling
HMMT	2	<b>Monster Tester</b>	includes tube set and 0-60 psi Gauge
STK	4	<b>Little Hose Monster Stabilizer</b>	for stacking HML, includes Ratcheting Strap
WSPA106	1	<b>Spanner Wrench</b>	light weight aluminum alloy
CASERCFPT	3	<b>Pump Test Case</b>	27 x 19 x 10, Closed Cell Foam, wheels/telescoping handle

Item #	Description	List Price
FFTK	<b>Fire Flow Test Bundle, for flowing from a 2 1/2" port</b>	\$3,843.00
HML	<b>The Little Hose Monster™</b> (Pitotless Nozzle and Gauge sold separate)	
PN2GRV	<b>2" Pitotless Nozzle, Grooved</b> (490 to 1,300 GPM)	
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings	
GK100D4	<b>Pressure Gauge, 4" dial,</b> 0-100 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HGV25	<b>2 1/2" Gate Valve</b> aluminum, slow close	
GCSW200	<b>Gauge Cap with Gauge</b> 0-200 psi operating range, 0.5% accuracy FS	
HW107	<b>Hydrant Wrench</b> adjustable, single spanner head	
WSPA106	<b>Spanner Wrench</b> light weight aluminum alloy	
CASEFFTK	<b>Equipment Case, 24 x 16 x 10, Closed-cell Foam insert</b>	
H2H.10YR	<b>Discharge Hose, 2 1/2" x 10' ,Yellow, Rubber extruded,NH, RL Coup.</b>	
FFTK4	<b>Fire Flow Test Bundle. For flowing from a 4" port</b>	\$5,028.00
HMBB4	<b>The Big Boy Hose Monster</b> gauge included (856 to 2,759 GPM)	
HGV4NST	<b>4 " Gate Valve</b> aluminum, slow close	
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings	
GCSW200	<b>Gauge Cap with Gauge</b> 0-200 psi operating range, 0.5% accuracy FS	
HW107	<b>Hydrant Wrench</b> adjustable, single spanner head	
WSPA106	<b>Spanner Wrench</b> light weight aluminum alloy	
CASE720	<b>Equipment Case, 19.75 x 15.75 x 7.47, Pick &amp; Pluck Foam</b>	
H4.10.4	<b>Discharge Hose, 5" Dia., Yellow, Rubber extruded, 4" F NH x 10' L x 4" M NH</b>	
FFTK45	<b>Fire Flow Test Bundle. For flowing from a 4" or 4 1/2" port</b>	\$5,028.00
HMBB4	<b>The Big Boy Hose Monster</b> gauge included (856 to 2,759 GPM)	
HGV4.5NST	<b>4 1/2" Gate Valve</b> aluminum, slow close	
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings	

GCSW200	<b>Gauge Cap with Gauge</b>	0-200 psi operating range, 0.5% accuracy FS	
HW107	<b>Hydrant Wrench</b>	adjustable, single spanner head	
WSPA106	<b>Spanner Wrench</b>	light weight aluminum alloy	
CASE720	<b>Equipment Case</b>	19.75 x 15.75 x 7.47, Pick & Pluck Foam	
H45.10.4	<b>Discharge Hose, 5" Dia., Yellow, Rubber extruded,</b>	4 1/2" F NH x 10' L x 4" M NH	
FFTK5S	<b>Fire Flow Test Bundle. For flowing from a 5" Storz port</b>		\$5,544.00
HMBB4	<b>The Big Boy Hose Monster</b>	gauge included	(856 to 2,759 GPM)
HGV5S	<b>5" Storz Gate Valve</b>	aluminum, slow close	
HMRRFFTK	<b>Fire Flow Remote Reader</b>	12' tube with fittings	
GCSW200	<b>Gauge Cap with Gauge</b>	0-200 psi operating range, 0.5% accuracy FS	
HW107	<b>Hydrant Wrench</b>	adjustable, single spanner head	
WSPA106	<b>Spanner Wrench</b>	light weight aluminum alloy	
CASE720	<b>Equipment Case</b>	19.75 x 15.75 x 7.47, Pick & Pluck Foam	
HS5.10.4	<b>Discharge Hose, 5" Dia., Yellow, Rubber extruded,</b>	5" Storz x 10' L x 4" M NH	

Item #	Description	List Price
FPTGK	<b>Fire Pump Test Gauge Kit</b> - Gauges commonly used in Fire Pump Testing.	\$955.00
GK300D4	<b>Pressure Gauge</b> , 4" dial 0-300 psi operating range, 1/4" NPT, 0.5% acc. FS	
GK30-200	<b>Pressure Gauge</b> , 4" dial, 30 HG-200 psi operating range, 1/4" NPT, 0.5% acc. FS	
GK60D4	<b>Pressure Gauge</b> , 4" dial 0-60 psi operating range, 1/4" NPT, 0.5% acc. FS	
CASE520G	<b>Gauge Case</b> , 15.1 x 12.4 x 6.9, Closed Cell Foam for six gauges	
GKGLY4	<b>Glycerin refill for 4" gauges</b> 8 Oz.	
GCCN	<b>New gauges only (Qty - 3)</b> Calibration services traceable to NIST stds.	
HMLK2	<b>Little Hose Monster Kit</b>	\$2,246.00
HML	<b>The Little Hose Monster™</b>	
PN2GRV	<b>2" Pitotless Nozzle, Grooved</b> (493 to 1,305 GPM)	
GK100D4	<b>Pressure Gauge</b> , 4" dial, 0-100 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings	
CASEHMLK	<b>Equipment Case</b> 19.8 x 15.5 x 7.5, closed-cell foam insert	
HMLK1.75	<b>Little Hose Monster Kit</b>	\$2,246.00
HML	<b>The Little Hose Monster™</b>	
PN1.75GRV	<b>1 3/4" Pitotless Nozzle, Grooved</b> (331 to 993 GPM)	
GK100D4	<b>Pressure Gauge</b> , 4" dial, 0-100 psi operating range, 1/4" NPT, 0.5% accuracy FS	
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings	
CASEHMLK	<b>Equipment Case</b> 19.8 x 15.5 x 7.5, closed-cell foam insert	
HMLK1.125	<b>Little Hose Monster Kit</b>	\$2,246.00
HML	<b>The Little Hose Monster™</b>	
PN1.125GRV	<b>1 1/8" Pitotless Nozzle, Grooved</b> (83 to 353 GPM)	

GK100D4	<b>Pressure Gauge</b> , 4" dial, 0-100 psi operating range, 1/4" NPT, 0.5% accuracy FS
HMRRFFTK	<b>Fire Flow Remote Reader</b> 12' tube with fittings
CASEHMLK	<b>Equipment Case</b> 19.8 x 15.5 x 7.5, closed-cell foam insert